



## MB5 Model Quick Ship Walk-In Price List


Effective September 8, 2018

## Contents

<b>Section</b>	<b>Page</b>
Quick Ship Features	2
MB5 Model Nomenclature Guide	3
Single Cooler Packages With Standard-Duty Refrigeration	4
Single Freezer Packages With Standard-Duty Refrigeration	12
Single Cooler Packages With Heavy-Duty Refrigeration	16
Single Freezer Packages With Heavy-Duty Refrigeration	20
Quick Ship Options	24
Terms & Considerations	25
Warranty	26

## MB5 Model Features

### MB5 MODEL QUICK SHIP WALK-IN FEATURES



#### Standard Features:

- FREE FREIGHT to domestic U.S. locations and select locations in Canada (consult your Master-Bilt® sales representative).
- 4" thick panels
- Coolers, freezers available
- Indoor and outdoor models available
- 36" x 78" V-series door
- Interior and exterior wall and roof finish is 26 gauge acrylic coated stucco galvanized steel
- .080 textured aluminum interior floor finish, when required
- Refrigeration consists of matching PRS-2 packaged systems with standard-duty and heavy-duty options
- Outdoor models contain a weather hood for the roof-mounted refrigeration system, membrane covering for the walk-in roof and rain canopy for the entry door
- Most indoor models with PRS-2 systems include a power cord so the unit can be plugged in with no piping or components to field install
- 4-year extended compressor warranty included in price

#### Options:

- Door & frame kick-plates (shipped loose)
- 4 foot fluorescent light fixtures (less fluorescent bulbs)
- 4-foot LED light fixtures (shipped loose)
- Vinyl strip curtains for entry doors (shipped loose)
- Exterior door ramps

# Nomenclature

## MB5 MODEL NOMENCLATURE GUIDE

MB5

Family	Height	Width	Length	Temperature	Box Configuration	Location	PRS Refrigeration	Door Swing*
MasterBilt 5 Day Quick Ship	72 - Less Floor * 82 - Less Floor * 76 - With Floor 86 - With Floor	04 - 3' 11" 06 - 5' 10" 08 - 7' 9" 10 - 9' 8"	06 - 5' 10" 08 - 7' 9" 10 - 9' 8" 12 - 11' 7" 14 - 13' 6" 18 - 17' 4"+ 20 - 19' 3" + +Combo Only	C - Cooler 38F - 35F F - Freezer -10F D = Dual Compartment + (Combo Freezer/Cooler) + Must show height as 76 or 86.	<b>Blank</b> - Single Compartment  <b>Dual Compartment (Combo)</b> With Floor Freezer/ Less Floor Cooler C - 6' Freezer D - 8' Freezer E - 10' Freezer  With Floor Freezer/Cooler F - 6' Freezer G - 8' Freezer H - 10' Freezer	I - Indoor O - Outdoor	Blank - Standard Duty HD - Heavy Duty  Note: Self-Contained Ceiling Mounted PRS Unit	R - Right hand L - Left hand
	* Not applicable with Freezer							

## Single Cooler Packages

### WALK-IN COOLERS WITH STANDARD PRS-2 SYSTEMS

**PLEASE NOTE:**

- Interior and exterior finish on all walk-ins is 26 gauge acrylic-coated stucco galvanized steel.
- Extended four year compressor warranty included in walk-in price.
- Coolers were designed for 35°F room temp with 90°F ambient and 100°F temp at condensing unit. Less floor coolers assumed no insulation under floor slab. Freezers were designed for -10°F room temp with 90°F ambient and 100°F temp at condensing unit location.
- PRS-2 refrigeration systems are not designed for use in areas with ambient temperatures exceeding 100°F.
- PRS-2 refrigeration is sized for holding duty only. If the ambient is higher or pull down capacity is required, a regular (non-quick ship) quote will be needed.

### INDOOR MODELS, FLOORLESS

WALK-IN MODEL NUMBER	DESCRIPTION	LIST PRICE
MB5720406CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$ 13,155
MB5720606CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$ 13,691
MB5720608CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 15,281
MB5720610CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 16,033
MB5720808CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 16,254
MB5720810CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 17,320
MB5720812CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 19,464
MB5720814CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 20,530
MB5721010CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 19,148
MB5721012CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 20,121

## Single Cooler Packages

MB5721014CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 21,045
MB5820606CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$ 13,892
MB5820608CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 15,522
MB5820610CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 16,308
MB5820808CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 16,508
MB5820810CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 17,610
MB5820812CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 19,791
MB5820814CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 20,892
MB5821010CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 19,471
MB5821012CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 20,481
MB5821014CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 21,439

## Single Cooler Packages

INDOOR MODELS, WITH FLOOR		
MB5760406CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$ 14,203
MB5760606CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$ 15,246
MB5760608CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$ 16,595
MB5760610CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 18,361
MB5760808CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 18,195
MB5760810CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 19,948
MB5760812CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 22,310
MB5760814CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 24,201
MB5761010CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 22,324
MB5761012CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 23,608
MB5761014CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 25,490
MB5860606CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$ 15,422
MB5860608CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$ 16,840

## Single Cooler Packages

MB5860610CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 18,610
MB5860808CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 18,452
MB5860810CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 20,241
MB5860812CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 22,639
MB5860814CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 24,428
MB5861010CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 22,646
MB5861012CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 23,966
MB5861014CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 25,745



## Single Cooler Packages

### OUTDOOR MODELS, FLOORLESS

MB5720406COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050AT, .50 HP, 115/60/1, membrane roof and door canopy included	\$ 14,285
MB5720606COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050AT, .50 HP, 115/60/1, membrane roof and door canopy included	\$ 14,929
MB5720608COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,962
MB5720610COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,764
MB5720808COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,997
MB5720810COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,184
MB5720812COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 20,744
MB5720814COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 21,816
MB5721010COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 20,332
MB5721012COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 21,456
MB5721014COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 22,475

## Single Cooler Packages

MB5820606COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050AT, .50 HP, 115/60/1, membrane roof and door canopy included	\$ 15,130
MB5820608COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,203
MB5820610COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,039
MB5820808COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,251
MB5820810COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,474
MB5820812COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 21,071
MB5820814COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 22,178
MB5821010COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 20,655
MB5821012COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 21,816
MB5821014COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 22,869

## Single Cooler Packages

OUTDOOR MODELS, WITH FLOOR		
MB5760406COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0050AT, .50 HP, 115/60/1, membrane roof and door canopy included	\$ 15,333
MB5760606COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,253
MB5760608COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,646
MB5760610COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,092
MB5760808COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,938
MB5760810COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 21,812
MB5760812COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 23,590
MB5760814COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 25,487
MB5761010COX	(QUICK SHIP) OUTDOOR Walk-In Cooler or Freezer, 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 23,508

## Single Cooler Packages

MB5761012COX	(QUICK SHIP) OUTDOOR Walk-In Cooler or Freezer, 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 24,943
MB5761014COX	(QUICK SHIP) OUTDOOR Walk-In Cooler or Freezer, 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 26,920
MB5860606COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,429
MB5860608COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,891
MB5860610COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,341
MB5860808COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,195
MB5860810COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 22,105
MB5860812COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 23,919
MB5860814COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 25,714
MB5861010COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 23,830
MB5861012COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 25,301
MB5861014COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 27,175

## Single Freezer Packages

### WALK-IN FREEZERS WITH STANDARD PRS-2 SYSTEMS

**PLEASE NOTE:**

- Interior and exterior finish on all walk-ins is 26 gauge acrylic-coated stucco galvanized steel.
- Extended four year compressor warranty included in walk-in price.
- Coolers were designed for 35°F room temp with 90°F ambient and 100°F temp at condensing unit. Less floor coolers assumed no insulation under floor slab. Freezers were designed for -10°F room temp with 90°F ambient and 100°F temp at condensing unit location.
- PRS-2 refrigeration systems are not designed for use in areas with ambient temperatures exceeding 100°F.
- PRS-2 refrigeration is sized for holding duty only. If the ambient is higher or pull down capacity is required, a regular (non-quick ship) quote will be needed.

### INDOOR MODELS

WALK-IN MODEL NUMBER	DESCRIPTION	LIST PRICE
MB5760406FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0101B, 1 HP, 208-230/60/1	\$ 14,236
MB5760606FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125B, 1.25 HP, 208-230/60/1	\$ 16,773
MB5760608FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125B, 1.25 HP, 208-230/60/1	\$ 18,122
MB5760610FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 20,504
MB5760808FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 20,338
MB5760810FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 22,091
MB5760812FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 23,007
MB5760814FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 24,898
MB5761010FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 23,021

## Single Freezer Packages

MB5761012FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200B, 2 HP, 208-230/60/1	\$ 24,686
MB5761014FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200B, 2 HP, 208-230/60/1	\$ 26,568
MB5860606FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125B, 1.25 HP, 208-230/60/1	\$ 16,949
MB5860608FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125B, 1.25 HP, 208-230/60/1	\$ 18,367
MB5860610FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 20,753
MB5860808FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 20,595
MB5860810FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200B, 2 HP, 208-230/60/1	\$ 22,765
MB5860812FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201B, 2 HP, 208-230/60/1	\$ 24,631
MB5860814FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201B, 2 HP, 208-230/60/1	\$ 26,420
MB5861010FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201B, 2 HP, 208-230/60/1	\$ 24,638
MB5861012FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201B, 2 HP, 208-230/60/1	\$ 25,958
MB5861014FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201B, 2 HP, 208-230/60/1	\$ 27,737

## Single Freezer Packages

### OUTDOOR MODELS

MB5760406FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,284
MB5760606FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125BT, 1.25 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,961
MB5760608FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,953
MB5760610FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 21,399
MB5760808FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 21,245
MB5760810FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 24,021
MB5760812FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 25,051
MB5760814FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 27,855
MB5761010FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 24,969
MB5761012FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 27,311
MB5761014FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 29,288

## Single Freezer Packages

MB586060FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125BT, 1.25 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,137
MB5860608FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,198
MB5860610FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 21,648
MB5860808FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 21,502
MB5860810FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 24,314
MB5860812FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 26,287
MB5860814FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 28,082
MB5861010FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 26,198
MB5861012FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 27,669
MB5861014FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 29,543



## Single Coolers Heavy Duty

### WALK-IN COOLERS WITH HEAVY-DUTY PRS-2 SYSTEMS

**PLEASE NOTE:**

- Interior and exterior finish on all walk-ins is 26 gauge acrylic-coated stucco galvanized steel.
- Extended four year compressor warranty included in walk-in price.
- Coolers were designed for 35°F room temp with 90°F ambient and 100°F temp at condensing unit. Less floor coolers assumed no insulation under floor slab. Freezers were designed for -10°F room temp with 90°F ambient and 100°F temp at condensing unit location.
- PRS-2 refrigeration systems are not designed for use in areas with ambient temperatures exceeding 100°F.
- PRS-2 refrigeration is sized for holding duty only. If the ambient is higher or pull down capacity is required, a regular (non-quick ship) quote will be needed.

### INDOOR MODELS, FLOORLESS

WALK-IN MODEL NUMBER	DESCRIPTION	LIST PRICE
MB5720406CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 13,525
MB5720606CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 14,061
MB5720608CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 16,727
MB5720610CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 17,479
MB5720808CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 17,700
MB5720810CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 18,766
MB5820606CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 14,262
MB5820608CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 16,968
MB5820610CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 17,754
MB5820808CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 17,954
MB5820810CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 19,056

## Single Coolers Heavy Duty

### INDOOR MODELS, WITH FLOOR

MB5760406CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 14,573
MB5760606CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 15,616
MB5760608CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 16,965
MB5760610CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 19,807
MB5760808CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 19,641
MB5760810CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 21,394
MB5860606CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 15,792
MB5860608CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 17,210
MB5860610CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 20,056
MB5860808CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 19,898
MB5860810CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 21,687

## Single Coolers Heavy Duty

### OUTDOOR MODELS, FLOORLESS

MB5720406COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 15,054
MB5720606COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 15,698
MB5720608COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,710
MB5720610COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,512
MB5720808COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,745
MB5720810COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,932
MB5820606COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 15,899
MB5820608COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,951
MB5820610COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,787
MB5820808COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,999
MB5820810COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,222

## Single Coolers Heavy Duty

### OUTDOOR MODELS, WITH FLOOR

MB5760406COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,210
MB5760606COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,001
MB5760608COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,394
MB5760610COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,840
MB5760808COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,686
MB5760810COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 22,560
MB5860606COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,177
MB5860608COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,639
MB5860610COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 21,089
MB5860808COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,943
MB5860810COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 22,853

## Single Freezers Heavy Duty

### WALK-IN FREEZERS WITH HEAVY-DUTY PRS-2 SYSTEMS

**PLEASE NOTE:**

- Interior and exterior finish on all walk-ins is 26 gauge acrylic-coated stucco galvanized steel.
- Extended four year compressor warranty included in walk-in price.
- Coolers were designed for 35°F room temp with 90°F ambient and 100°F temp at condensing unit. Less floor coolers assumed no insulation under floor slab. Freezers were designed for -10°F room temp with 90°F ambient and 100°F temp at condensing unit location.
- PRS-2 refrigeration systems are not designed for use in areas with ambient temperatures exceeding 100°F.
- PRS-2 refrigeration is sized for holding duty only. If the ambient is higher or pull down capacity is required, a regular (non-quick ship) quote will be needed.

### INDOOR MODELS

WALK-IN MODEL NUMBER	DESCRIPTION	LIST PRICE
MB5760406FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0125B, 1.25 HP, 208-230/60/1	\$ 15,730
MB5760606FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 17,759
MB5760608FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 19,108
MB5760610FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 20,885
MB5760808FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 20,719
MB5760810FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 22,472
MB5760812FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 23,388
MB5760814FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 25,279
MB5761010FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 23,402

## Single Freezers Heavy Duty

MB5761012FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201B, 2 HP, 208-230/60/1	\$ 25,600
MB5761014FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201B, 2 HP, 208-230/60/1	\$ 27,482
MB5860606FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 17,935
MB5860608FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 19,353
MB5860610FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 21,134
MB5860808FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 20,976
MB5860810FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201B, 2 HP, 208-230/60/1	\$ 23,679

## Single Freezers Heavy Duty

OUTDOOR MODELS		
MB5760406FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0125BT, 1.25 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,918
MB5760606FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,560
MB5760608FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,855
MB5760610FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 22,301
MB5760808FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 22,147
MB5760810FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 24,928
MB5760812FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 25,958
MB5761010FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 25,876
MB5860606FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,736

## Single Freezers Heavy Duty

MB5860608FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 21,100
MB5860610FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 22,550
MB5860808FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 22,404
MB5860810FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 25,221



## Quick Ship Options

### QUICK SHIP OPTIONS

Part Number	Description	List Price
700-KP36L	Kickplates For 36" x 78" Door, LH Hinge, Int. & Ext. of Door and Frame	\$ 313.00
700-KP36R	Kickplates For 36" x 78" Door, RH Hinge, Int. & Ext. of Door and Frame	\$ 313.00
23-01747	4 FT. Vaportite Fluorescent Light Fixture (Less Bulbs)	\$ 182.00
23-01934	4 FT. LED Light Fixture	\$ 295.00
56-00064	Easimount strip curtain for 36" x 78" opening	\$ 214.00
700-36400	36" Exterior ramp assembly, 4" high	\$ 994.00

# Terms & Considerations

## TERMS OF SALE

1. This list supersedes all other price lists. Master-Bilt® reserves the right to change prices and equipment specifications without notice. All quotations for equipment shall be void if not accepted within 30 days.
2. All orders are subject to acceptance by Master-Bilt, Division of Standex International Corporation ("Seller"), must be made in writing, and are subject to credit approval prior to shipment if the Buyer's credit account status has changed.
3. Unless specified by the customer when ordering, the method of shipment will be determined by Seller.
4. Freight terms: F.O.B. Factory – "New Albany, MS" (unless otherwise specified on the attached quote or order).
5. The Buyer shall be liable for all Federal, State and Local taxes. These amounts will be added to the purchase price where required by law, unless an exemption certificate is received prior to shipment of merchandise.
6. All new accounts will be subject to credit approval.
7. Seller's terms are Net 30 days, unless otherwise specified. A service charge of one and one half percent per month will be imposed on all past due balances. A non-refundable deposit may be required on any "non-stock" items.
8. Claims for shortages or incorrect merchandise must be made in writing to Seller within seven (7) days after receipt of merchandise.
9. FREIGHT DAMAGES OR DELAYS ARE NOT THE RESPONSIBILITY OF SELLER. Any claim for damaged merchandise must be processed through the delivering carrier by the consignee: Master-Bilt may assist in filing the claim in order to expedite the claim.
10. All cancelled orders and returned goods may be subject to a minimum of 25% cancellation and/or restocking charge. Merchandise may not be returned without written authorization from the Seller. Requests for return must be made within ninety (90) days after shipment. Custom or modified units cannot be returned.
11. Prices and specifications are subject to change without notice.
12. All orders will be manufactured and invoiced as specified in the Seller Order Acknowledgement. If corrections or additions are required by the customer, Seller must be advised in writing immediately. If this is not done, it is assumed by Seller that the customer has examined and approved the acknowledgement as written, including the terms and conditions of same, which are a part of each order acknowledgement.
13. The domestic state considered in any warranty claims, legal claims and etc., against the Seller would be the State of Mississippi, County of Union.
14. Buyer also agrees that Seller may deposit all checks, and with "Acceptance with Reservations of all rights".
15. The Buyer acknowledges acceptance of Seller's standard warranty as a condition of purchase, and that Seller has not made or implied any additional or replacement to the standard warranty. See warranty tabs within this price list for Master-Bilt warranty details.
16. Possession of price list does not constitute intent to sell.
17. Storage charges are applicable to any cabinet or walk-in that does not ship within two weeks of completion. Charges are calculated at \$25.00 per week per cabinet or, for walk-ins, \$25.00 per week per skid of panels or crated materials.
18. Buyer agrees to indemnify, hold harmless and defend Seller from and against any and all liabilities and expenses arising out of any injury or damage which results from Buyer's misuse, misapplication, or failure to inspect, maintain or repair the Products which are the subject of this agreement.

## SPECIAL CONSIDERATIONS

1. FREIGHT CLASSIFICATIONS. Walk-in panels are class 100. Condensing units are class 92.5. NOTE: Classifications are based on the use of Master-Bilt® specified carriers. Third party classifications and rates may vary.
2. OFF-SITE WAREHOUSING. Shipments of cabinets originating from off-site Master-Bilt® warehouses will include a \$35.00 handling fee per piece plus applicable freight/associated fees.
3. STORAGE CHARGES. Completed orders placed on shipping hold are subject to a storage charge of \$25.00 per piece per week.
4. MINIMUM INVOICE AMOUNT. A minimum invoice of \$50.00 applies to all orders.
5. CREDIT CARDS ACCEPTED. Master-Bilt® proudly accepts Visa, MasterCard, Discover and American Express.

# Warranty

## WARRANTY - WALK-INS WITH PRS-2 REFRIGERATION SYSTEMS



908 Hwy. 15 North • New Albany, MS 38652 • 800-647-1284/662-534-9061 • FAX: 800-232-3966  
Warranty Parts & Service: 800-684-8988 • FAX: 662-539-4499

### LIMITED 18 MONTH PARTS & LABOR WARRANTY FOR WALK-INS WITH PRS-2 REFRIGERATION SYSTEMS

Master-Bilt® Products (the “Company”) warrants to the original purchaser and any subsequent owner that its refrigeration equipment, at the time of delivery, will be free from defects in material and workmanship. Master-Bilt® will bear the reasonable and customary labor expense to repair or replace any component part (including said part) found to be defective under the terms and conditions as outlined under Master-Bilt®’s standard warranty. The warranty is in force for one (1) year, six (6) months from date of shipment from factory, but not longer than two (2) years from Master-Bilt® invoice date. Any claim for defects occurring between one (1) year, six (6) months and two (2) years from date of Master-Bilt® invoice must furnish proof that installation date did occur within six (6) months of Master-Bilt® invoice date.

The purchaser and any subsequent owner will have the sole responsibility and bear all expenses of removing and returning the defective part or equipment. Master-Bilt® will reimburse said labor expenses to the original purchaser only if after evaluating the original service invoice submitted by the original purchaser and any subsequent owner Master-Bilt® determines that this warranty applies. The labor warranty shall apply only to PRS-2 SERIES equipment installed by authorized or approved Master-Bilt® dealers, distributors, service companies or refrigeration contractors. The labor warranty does not cover the cost (parts or labor) of installation, start-up, normal maintenance, or normal control adjustment.

Your local compressor supplier should exchange the compressor at no charge during first year warranty. Claims under this Warranty must be submitted electronically by the Service Company within 90 days from the date of repair. Claims not filed within this time frame will be subject to denial without prior approval. To submit a claim you must have a Master-Bilt® serial number.

Any defects caused by misapplication, abnormal use or misuse, lack of or improper maintenance, damage by third parties, alterations, acts of God; failure to follow installation, maintenance or safety instructions or any other event beyond the control of the Company will not be covered under this Warranty.

The obligation of Master-Bilt® shall be limited to repairing or replacing (at the option of the Company) any part, which is defective in the reasonable opinion of the Company. The cost of service labor reimbursed will be based on straight-time rate and reasonable time for the repair of the defect.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

In no event shall the Company be liable for loss of use, revenue or profit or for any other indirect, incidental, special or consequential damages including, but not limited to, food spoilage or product loss.

This warranty shall apply only within the continental United States, its territories and possessions, Canada and Mexico.

# Warranty

## OPTIONAL LIMITED FOUR YEAR COMPRESSOR REPLACEMENT WARRANTY

The Company warrants, if purchased on the original invoice to the original purchaser and any subsequent owner that it will supply a replacement compressor on the equipment if found to be defective (in the reasonable opinion of the Company) in material or workmanship if written notice is given within five years from date of shipment.

Defective conditions caused by abnormal use or misuse, lack of or improper maintenance, damage by third parties, alterations, acts of God, failure to follow installation, maintenance or safety instructions or any other event beyond the control of the Company will not be covered under this Warranty. The Compressor Replacement Warranty does not apply to any part of the equipment other than the compressor. The user will have the responsibility and expense of removing and returning the defective compressor to the Company as well as the cost of reinstalling the replacement compressor. The Company may satisfy its obligations hereunder by supplying a replacement compressor, which, is reasonably similar in design and capacity.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

In no event shall the Company be liable for loss of use, revenue or profit or for any other indirect, incidental, special or consequential damages, but not limited to, losses involving food spoilage or product loss.

This Compressor Replacement Warranty shall apply only within the continental United States, its territories and possessions, Canada and Mexico.

## REPLACEMENT PART WARRANTY

Master-Bilt® warrants to the original purchaser and any subsequent owner that all parts purchased after the first year warranty period will be warranted for 90 days from invoice date.