



MB5 Model Quick Ship Walk-In Price List

Effective January 1, 2018

Contents

Section	Page
Quick Ship Features	2
MB5 Model Nomenclature Guide	3
Single Cooler Packages With Standard-Duty Refrigeration	4
Single Freezer Packages With Standard-Duty Refrigeration	12
Single Cooler Packages With Heavy-Duty Refrigeration	16
Single Freezer Packages With Heavy-Duty Refrigeration	20
Walk-Ins, Panels Only, Floorless	24
Walk-Ins, Panels Only, With Floor	27
Quick Ship Options	30
Terms & Considerations	31
Warranty	32

MB5 Model Features

MB5 MODEL QUICK SHIP WALK-IN FEATURES



Standard Features:

- FREE FREIGHT to domestic U.S. locations and select locations in Canada (consult your Master-Bilt® sales representative). DOES NOT APPLY TO PANELS-ONLY MODELS.
- 4" thick panels
- Coolers, freezers available
- Indoor and outdoor models available
- 36" x 78" V-series door
- Interior and exterior wall and roof finish is 26 gauge acrylic coated stucco galvanized steel
- .080 textured aluminum interior floor finish, when required
- Refrigeration, when required, consists of matching PRS-2 packaged systems with standard-duty and heavy-duty options
- Outdoor models contain a weather hood for the roof-mounted refrigeration system, membrane covering for the walk-in roof and rain canopy for the entry door
- Most indoor models with PRS-2 systems include a power cord so the unit can be plugged in with no piping or components to field install
- 4-year extended compressor warranty included in price

Options:

- Door & frame kick-plates (shipped loose)
- 4 foot fluorescent light fixtures (less fluorescent bulbs)
- 4-foot LED light fixtures (shipped loose)
- Vinyl strip curtains for entry doors (shipped loose)
- Exterior door ramps

Nomenclature

MB5 MODEL NOMENCLATURE GUIDE

MB5

Family	Height	Width	Length	Temperature	Box Configuration	Location	PRS Refrigeration	Door Swing*
MasterBilt 5 Day Quick Ship	72 - Less Floor * 82 - Less Floor * 76 - With Floor 86 - With Floor	06 - 5' 10" 08 - 7' 9" 10 - 9' 8"	06 - 5' 10" 08 - 7' 9" 10 - 9' 8" 12 - 11' 7" 14 - 13' 6" 18 - 17' 4"+ 20 - 19' 3" + +Combo Only	N - No refrigeration (Box Only) C - Cooler 38F - 35F F - Freezer -10F D = Dual Compartment + (Combo Freezer/Cooler) + Must show height as 76 or 86.	Blank - Single Compartment Dual Compartment (Combo) With Floor Freezer/ Less Floor Cooler C - 6' Freezer D - 8' Freezer E - 10' Freezer With Floor Freezer/Cooler F - 6' Freezer G - 8' Freezer H - 10' Freezer	I - Indoor O - Outdoor	Blank - Standard Duty HD - Heavy Duty Note: Self-Contained Ceiling Mounted PRS Unit	R - Right hand L - Left hand

* Not applicable with Freezer

Single Cooler Packages

WALK-IN COOLERS WITH STANDARD PRS-2 SYSTEMS

PLEASE NOTE:

- Interior and exterior finish on all walk-ins is 26 gauge acrylic-coated stucco galvanized steel.
- Extended four year compressor warranty included in walk-in price.

- Coolers were designed for 35°F room temp with 90°F ambient and 100°F temp at condensing unit. Less floor coolers assumed no insulation under floor slab. Freezers were designed for -10°F room temp with 90°F ambient and 100°F temp at condensing unit location.
- PRS-2 refrigeration systems are not designed for use in areas with ambient temperatures exceeding 100°F.
- PRS-2 refrigeration is sized for holding duty only. If the ambient is higher or pull down capacity is required, a regular (non-quick ship) quote will be needed.

INDOOR MODELS, FLOORLESS

WALK-IN MODEL NUMBER	DESCRIPTION	LIST PRICE
MB5720406CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$ 12,673
MB5720606CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$ 13,199
MB5720608CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 14,748
MB5720610CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 15,485
MB5720808CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 15,702
MB5720810CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 16,747
MB5720812CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 18,467
MB5720814CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 19,512
MB5721010CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 18,157
MB5721012CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 19,110

Single Cooler Packages

MB5721014CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 20,016
MB5820606CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$ 13,396
MB5820608CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 14,984
MB5820610CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 15,755
MB5820808CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 15,951
MB5820810CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 17,031
MB5820812CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 18,787
MB5820814CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 19,867
MB5821010CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 18,473
MB5821012CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 19,464
MB5821014CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 20,403

Single Cooler Packages

INDOOR MODELS, WITH FLOOR		
MB5760406CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$ 13,701
MB5760606CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$ 14,724
MB5760608CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$ 16,046
MB5760610CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 17,768
MB5760808CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 17,605
MB5760810CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 19,324
MB5760812CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 21,256
MB5760814CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 23,111
MB5761010CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 21,270
MB5761012CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 22,529
MB5761014CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 24,374
MB5860606CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$ 14,896
MB5860608CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$ 16,286

Single Cooler Packages

MB5860610CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 18,012
MB5860808CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 17,857
MB5860810CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 19,611
MB5860812CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 21,579
MB5860814CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 23,333
MB5861010CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 21,586
MB5861012CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 22,880
MB5861014CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 24,624

Single Cooler Packages

OUTDOOR MODELS, FLOORLESS

MB5720406COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050AT, .50 HP, 115/60/1, membrane roof and door canopy included	\$ 13,750
MB5720606COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050AT, .50 HP, 115/60/1, membrane roof and door canopy included	\$ 14,379
MB5720608COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,350
MB5720610COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,136
MB5720808COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,364
MB5720810COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,524
MB5720812COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 20,033
MB5720814COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 21,084
MB5721010COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 19,632
MB5721012COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 20,729
MB5721014COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 21,726

Single Cooler Packages

MB5820606COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050AT, .50 HP, 115/60/1, membrane roof and door canopy included	\$ 14,576
MB5820608COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,586
MB5820610COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,406
MB5820808COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,613
MB5820810COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,808
MB5820812COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 20,353
MB5820814COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 21,439
MB5821010COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 19,948
MB5821012COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 21,083
MB5821014COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 22,113

Single Cooler Packages

OUTDOOR MODELS, WITH FLOOR		
MB5760406COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0050AT, .50 HP, 115/60/1, membrane roof and door canopy included	\$ 14,778
MB5760606COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,638
MB5760608COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,001
MB5760610COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,419
MB5760808COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,267
MB5760810COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 21,101
MB5760812COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 22,822
MB5760814COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 24,683
MB5761010COX	(QUICK SHIP) OUTDOOR Walk-In Cooler or Freezer, 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PPHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 22,745

Single Cooler Packages

MB5761012COX	(QUICK SHIP) OUTDOOR Walk-In Cooler or Freezer, 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 24,148
MB5761014COX	(QUICK SHIP) OUTDOOR Walk-In Cooler or Freezer, 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 26,084
MB5860606COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,810
MB5860608COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,241
MB5860610COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,663
MB5860808COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,519
MB5860810COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 21,388
MB5860812COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 23,145
MB5860814COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 24,905
MB5861010COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 23,061
MB5861012COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 24,499
MB5861014COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 26,334

Single Freezer Packages

WALK-IN FREEZERS WITH STANDARD PRS-2 SYSTEMS

PLEASE NOTE:

- Interior and exterior finish on all walk-ins is 26 gauge acrylic-coated stucco galvanized steel.
- Extended four year compressor warranty included in walk-in price.
- Coolers were designed for 35°F room temp with 90°F ambient and 100°F temp at condensing unit. Less floor coolers assumed no insulation under floor slab. Freezers were designed for -10°F room temp with 90°F ambient and 100°F temp at condensing unit location.
- PRS-2 refrigeration systems are not designed for use in areas with ambient temperatures exceeding 100°F.
- PRS-2 refrigeration is sized for holding duty only. If the ambient is higher or pull down capacity is required, a regular (non-quick ship) quote will be needed.

INDOOR MODELS

WALK-IN MODEL NUMBER	DESCRIPTION	LIST PRICE
MB5760406FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0101B, 1 HP, 208-230/60/1	\$ 13,732
MB5760606FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125B, 1.25 HP, 208-230/60/1	\$ 16,149
MB5760608FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125B, 1.25 HP, 208-230/60/1	\$ 17,471
MB5760610FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 19,780
MB5760808FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 19,617
MB5760810FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 21,336
MB5760812FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 22,233
MB5760814FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 24,088
MB5761010FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 22,247

Single Freezer Packages

MB5761012FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200B, 2 HP, 208-230/60/1	\$ 23,870
MB5761014FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200B, 2 HP, 208-230/60/1	\$ 25,715
MB5860606FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125B, 1.25 HP, 208-230/60/1	\$ 16,321
MB5860608FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125B, 1.25 HP, 208-230/60/1	\$ 17,711
MB5860610FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 20,024
MB5860808FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 19,869
MB5860810FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200B, 2 HP, 208-230/60/1	\$ 21,987
MB5860812FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201B, 2 HP, 208-230/60/1	\$ 23,793
MB5860814FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201B, 2 HP, 208-230/60/1	\$ 25,547
MB5861010FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201B, 2 HP, 208-230/60/1	\$ 23,800
MB5861012FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201B, 2 HP, 208-230/60/1	\$ 25,094
MB5861014FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201B, 2 HP, 208-230/60/1	\$ 26,838

Single Freezer Packages

OUTDOOR MODELS		
MB5760406FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 15,694
MB5760606FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125BT, 1.25 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,282
MB5760608FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,217
MB5760610FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,635
MB5760808FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,483
MB5760810FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 23,178
MB5760812FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 24,184
MB5760814FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 26,910
MB5761010FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 24,107
MB5761012FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 26,375
MB5761014FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 28,311

Single Freezer Packages

MB586060FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125BT, 1.25 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,454
MB5860608FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,457
MB5860610FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,879
MB5860808FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,735
MB5860810FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 23,465
MB5860812FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 25,372
MB5860814FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 27,132
MB5861010FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 25,288
MB5861012FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 26,726
MB5861014FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 28,561

Single Coolers Heavy Duty

WALK-IN COOLERS WITH HEAVY-DUTY PRS-2 SYSTEMS

PLEASE NOTE:

- Interior and exterior finish on all walk-ins is 26 gauge acrylic-coated stucco galvanized steel.
- Extended four year compressor warranty included in walk-in price.
- Coolers were designed for 35°F room temp with 90°F ambient and 100°F temp at condensing unit. Less floor coolers assumed no insulation under floor slab. Freezers were designed for -10°F room temp with 90°F ambient and 100°F temp at condensing unit location.
- PRS-2 refrigeration systems are not designed for use in areas with ambient temperatures exceeding 100°F.
- PRS-2 refrigeration is sized for holding duty only. If the ambient is higher or pull down capacity is required, a regular (non-quick ship) quote will be needed.

INDOOR MODELS, FLOORLESS

WALK-IN MODEL NUMBER	DESCRIPTION	LIST PRICE
MB5720406CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 13,026
MB5720606CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 13,552
MB5720608CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 15,783
MB5720610CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 16,520
MB5720808CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 16,737
MB5720810CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 17,782
MB5820606CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 13,749
MB5820608CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 16,019
MB5820610CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 16,790
MB5820808CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 16,986
MB5820810CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 18,066

Single Coolers Heavy Duty

INDOOR MODELS, WITH FLOOR

MB5760406CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 14,054
MB5760606CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 15,077
MB5760608CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 16,399
MB5760610CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 18,803
MB5760808CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 18,640
MB5760810CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 20,359
MB5860606CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 15,249
MB5860608CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 16,639
MB5860610CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 19,047
MB5860808CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 18,892
MB5860810CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 20,646

Single Coolers Heavy Duty

OUTDOOR MODELS, FLOORLESS

MB5720406COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 14,484
MB5720606COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 15,113
MB5720608COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,065
MB5720610COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,851
MB5720808COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,079
MB5720810COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,239
MB5820606COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 15,310
MB5820608COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,301
MB5820610COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,121
MB5820808COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,328
MB5820810COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,523

Single Coolers Heavy Duty

OUTDOOR MODELS, WITH FLOOR

MB5760406COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 15,512
MB5760606COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,353
MB5760608COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,716
MB5760610COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,134
MB5760808COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,982
MB5760810COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 21,816
MB5860606COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,525
MB5860608COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,956
MB5860610COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,378
MB5860808COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,234
MB5860810COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 22,103

Single Freezers Heavy Duty

WALK-IN FREEZERS WITH HEAVY-DUTY PRS-2 SYSTEMS

PLEASE NOTE:

- Interior and exterior finish on all walk-ins is 26 gauge acrylic-coated stucco galvanized steel.
- Extended four year compressor warranty included in walk-in price.
- Coolers were designed for 35°F room temp with 90°F ambient and 100°F temp at condensing unit. Less floor coolers assumed no insulation under floor slab. Freezers were designed for -10°F room temp with 90°F ambient and 100°F temp at condensing unit location.
- PRS-2 refrigeration systems are not designed for use in areas with ambient temperatures exceeding 100°F.
- PRS-2 refrigeration is sized for holding duty only. If the ambient is higher or pull down capacity is required, a regular (non-quick ship) quote will be needed.

INDOOR MODELS

WALK-IN MODEL NUMBER	DESCRIPTION	LIST PRICE
MB5760406FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0125B, 1.25 HP, 208-230/60/1	\$ 15,126
MB5760606FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 17,089
MB5760608FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 18,411
MB5760610FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 20,144
MB5760808FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 19,981
MB5760810FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 21,700
MB5760812FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 22,597
MB5760814FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 24,452
MB5761010FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 22,611

Single Freezers Heavy Duty

MB5761012FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201B, 2 HP, 208-230/60/1	\$ 24,743
MB5761014FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201B, 2 HP, 208-230/60/1	\$ 26,588
MB5860606FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 17,261
MB5860608FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 18,651
MB5860610FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 20,388
MB5860808FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 20,233
MB5860810FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201B, 2 HP, 208-230/60/1	\$ 22,860

Single Freezers Heavy Duty

OUTDOOR MODELS		
MB5760406FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0125BT, 1.25 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,156
MB5760606FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,854
MB5760608FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,078
MB5760610FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 21,496
MB5760808FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 21,344
MB5760810FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 24,043
MB5760812FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 25,049
MB5761010FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 24,972
MB5860606FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,026

Single Freezers Heavy Duty

MB5860608FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,318
MB5860610FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 21,740
MB5860808FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 21,596
MB5860810FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 24,330

Panels Only Floorless

WALK-IN, PANELS ONLY, FLOORLESS

PLEASE NOTE:

- Interior and exterior finish on all walk-ins is 26 gauge acrylic-coated stucco galvanized steel.
- Free freight does not apply to panels-only models.

INDOOR MODELS

WALK-IN MODEL NUMBER	DESCRIPTION	LIST PRICE
MB5720606NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 8,351
MB5720608NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 9,547
MB5720610NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 10,284
MB5720808NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 10,501
MB5720810NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 11,546
MB5720812NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 12,231
MB5720814NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 13,276
MB5721010NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 11,921
MB5721012NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 12,874
MB5721014NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 13,780
MB5820606NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 5'-10" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 8,548
MB5820608NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 9,783
MB5820610NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 10,554
MB5820808NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 10,750
MB5820810NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 11,830

Panels Only Floorless

MB5820812NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 12,551
MB5820814NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 13,631
MB5821010NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 12,237
MB5821012NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 13,228
MB5821014NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 14,167

OUTDOOR MODELS

MB5720606NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 8,659
MB5720608NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 9,896
MB5720610NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 10,682
MB5720808NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 10,910
MB5720810NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 12,070
MB5720812NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 12,864
MB5720814NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 13,915
MB5721010NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 12,463
MB5721012NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 13,560
MB5721014NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 14,557

Panels Only Floorless

MB5820606NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 5'-10" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 8,856
MB5820608NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 10,132
MB5820610NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 10,952
MB5820808NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 11,159
MB5820810NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 12,354
MB5820812NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 13,184
MB5820814NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 14,270
MB5821010NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 12,779
MB5821012NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 13,914
MB5821014NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 14,944

Panels Only With Floor

WALK-IN, PANELS ONLY, WITH FLOOR

PLEASE NOTE:

- Interior and exterior finish on all walk-ins is 26 gauge acrylic-coated stucco galvanized steel.
- Free freight does not apply to panels-only models.

INDOOR MODELS

WALK-IN MODEL NUMBER	DESCRIPTION	LIST PRICE
MB5760606NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 9,876
MB5760608NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 11,198
MB5760610NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 12,567
MB5760808NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 12,404
MB5760810NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 14,123
MB5760812NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 15,020
MB5760814NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 16,875
MB5761010NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 15,034
MB5761012NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 16,293
MB5761014NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 18,138
MB5860606NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 10,048
MB5860608NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 11,438

Panels Only With Floor

MB5860610NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$	12,811
MB5860808NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$	12,656
MB5860810NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$	14,410
MB5860812NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$	15,343
MB5860814NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$	17,097
MB5861010NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$	15,350
MB5861012NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$	16,644
MB5861014NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$	18,388

OUTDOOR MODELS

MB5760606NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	10,184
MB5760608NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	11,547
MB5760610NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	12,965
MB5760808NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	12,813
MB5760810NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	14,647
MB5760812NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	15,653

Panels Only With Floor

MB5760814NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	17,514
MB5761010NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	15,576
MB5761012NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	16,979
MB5761014NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	18,915
MB5860606NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	10,356
MB5860608NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	11,787
MB5860610NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	13,209
MB5860808NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	13,065
MB5860810NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	14,934
MB5860812NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	15,976
MB5860814NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	17,736
MB5861010NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	15,892
MB5861012NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	17,330
MB5861014NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$	19,165

Quick Ship Options

QUICK SHIP OPTIONS

Part Number	Description	List Price
700-KP36L	Kickplates For 36" x 78" Door, LH Hinge, Int. & Ext. of Door and Frame	\$ 299.00
700-KP36R	Kickplates For 36" x 78" Door, RH Hinge, Int. & Ext. of Door and Frame	\$ 299.00
23-01747	4 FT. Vaportite Fluorescent Light Fixture (Less Bulbs)	\$ 174.00
23-01882	4 FT. Kason LED Light Fixture	\$ 281.00
56-00064	Easimount strip curtain for 36" x 78" opening	\$ 205.00
700-36400	36" Exterior ramp assembly, 4" high	\$ 949.00

Terms & Considerations

TERMS OF SALE

1. **PRICES.** This list supersedes all other price lists. Master-Bilt® reserves the right to change prices and equipment specifications without notice. All quotations for equipment shall be void if not accepted within 30 days.
2. **DELIVERY.** Shipping or delivery date is approximate. Seller will not be liable for failure to deliver due to strikes, supplier's delays, changes requested by buyer or any causes beyond Master-Bilt®'s control.
3. **SHIPMENTS.** When possible, requested carrier will be used. Master-Bilt®, however, reserves the right to ship via any responsible carrier. Shipping charges are payable by consignee and any claims arising as to such charges shall be resolved between the carrier and consignee. All prices are F.O.B. factory.
4. **DAMAGE.** Claims for damage in transit must be made by the consignee with the carrier. Master-Bilt® assumes no responsibility for damages while in transit.
5. **TAXES.** Federal, state, city sales or use taxes are not included with these prices.
6. **CANCELLATIONS/RETURNED GOODS.**
 - A. **STOCK ITEMS.** All cancelled orders and returned goods will be assessed a minimum of 25% cancellation or restocking charge. Merchandise may not be returned without written authorization from the Seller. Requests for return must be made within 90 days after shipment. Return authorizations issued are valid for 30 days. Products must be returned in their original factory packaging with freight prepaid. They shall not have been used and must be in the same condition as originally shipped by Master-Bilt®.
 - B. **NON-STOCK ITEMS.** Orders for custom or modified units cannot be cancelled or returned.
7. All orders not shipped within 90 days of order date are subject to storage charges and/or price increases.
8. **WARRANTY.** See warranty tabs within this spreadsheet for Master-Bilt® warranty details.
9. Possession of price list does not constitute intent to sell.
10. Storage charges are applicable to any cabinet or walk-in that does not ship within two weeks of completion. Charges are calculated at \$25.00 per week per cabinet or, for walk-ins, \$25.00 per week per skid of panels or crated materials.

SPECIAL CONSIDERATIONS

1. **FREIGHT CLASSIFICATIONS.** Walk-in panels are class 100. Condensing units are class 92.5.
NOTE: Classifications are based on the use of Master-Bilt® specified carriers. Third party classifications and rates may vary.
2. **OFF-SITE WAREHOUSING.** Shipments of cabinets originating from off-site Master-Bilt® warehouses will include a \$35.00 handling fee per piece plus applicable freight/associated fees.
3. **STORAGE CHARGES.** Completed orders placed on shipping hold are subject to a storage charge of \$25.00 per piece per week.
4. **MINIMUM INVOICE AMOUNT.** A minimum invoice of \$50.00 applies to all orders.
5. **CREDIT CARDS ACCEPTED.** Master-Bilt® proudly accepts Visa, MasterCard, Discover and American Express.

Warranty

WARRANTY - WALK-INS WITH PRS-2 REFRIGERATION SYSTEMS



908 Hwy. 15 North • New Albany, MS 38652 • 800-647-1284/662-534-9061 • FAX: 800-232-3966
Warranty Parts & Service: 800-684-8988 • FAX: 662-539-4499

LIMITED 18 MONTH PARTS & LABOR WARRANTY FOR WALK-INS WITH PRS-2 REFRIGERATION SYSTEMS

Master-Bilt® Products (the “Company”) warrants to the original purchaser and any subsequent owner that its refrigeration equipment, at the time of delivery, will be free from defects in material and workmanship. Master-Bilt® will bear the reasonable and customary labor expense to repair or replace any component part (including said part) found to be defective under the terms and conditions as outlined under Master-Bilt®’s standard warranty. The warranty is in force for one (1) year, six (6) months from date of shipment from factory, but not longer than two (2) years from Master-Bilt® invoice date. Any claim for defects occurring between one (1) year, six (6) months and two (2) years from date of Master-Bilt® invoice must furnish proof that installation date did occur within six (6) months of Master-Bilt® invoice date.

The purchaser and any subsequent owner will have the sole responsibility and bear all expenses of removing and returning the defective part or equipment. Master-Bilt® will reimburse said labor expenses to the original purchaser only if after evaluating the original service invoice submitted by the original purchaser and any subsequent owner Master-Bilt® determines that this warranty applies. The labor warranty shall apply only to PRS-2 SERIES equipment installed by authorized or approved Master-Bilt® dealers, distributors, service companies or refrigeration contractors. The labor warranty does not cover the cost (parts or labor) of installation, start-up, normal maintenance, or normal control adjustment.

Your local compressor supplier should exchange the compressor at no charge during first year warranty. Claims under this Warranty must be submitted electronically by the Service Company within 90 days from the date of repair. Claims not filed within this time frame will be subject to denial without prior approval. To submit a claim you must have a Master-Bilt® serial number.

Any defects caused by misapplication, abnormal use or misuse, lack of or improper maintenance, damage by third parties, alterations, acts of God; failure to follow installation, maintenance or safety instructions or any other event beyond the control of the Company will not be covered under this Warranty.

The obligation of Master-Bilt® shall be limited to repairing or replacing (at the option of the Company) any part, which is defective in the reasonable opinion of the Company. The cost of service labor reimbursed will be based on straight-time rate and reasonable time for the repair of the defect.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

In no event shall the Company be liable for loss of use, revenue or profit or for any other indirect, incidental, special or consequential damages including, but not limited to, food spoilage or product loss.

This warranty shall apply only within the continental United States, its territories and possessions, Canada and Mexico.

Warranty

OPTIONAL LIMITED FOUR YEAR COMPRESSOR REPLACEMENT WARRANTY

The Company warrants, if purchased on the original invoice to the original purchaser and any subsequent owner that it will supply a replacement compressor on the equipment if found to be defective (in the reasonable opinion of the Company) in material or workmanship if written notice is given within five years from date of shipment.

Defective conditions caused by abnormal use or misuse, lack of or improper maintenance, damage by third parties, alterations, acts of God, failure to follow installation, maintenance or safety instructions or any other event beyond the control of the Company will not be covered under this Warranty. The Compressor Replacement Warranty does not apply to any part of the equipment other than the compressor. The user will have the responsibility and expense of removing and returning the defective compressor to the Company as well as the cost of reinstalling the replacement compressor. The Company may satisfy its obligations hereunder by supplying a replacement compressor, which, is reasonably similar in design and capacity.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

In no event shall the Company be liable for loss of use, revenue or profit or for any other indirect, incidental, special or consequential damages, but not limited to, losses involving food spoilage or product loss.

This Compressor Replacement Warranty shall apply only within the continental United States, its territories and possessions, Canada and Mexico.

REPLACEMENT PART WARRANTY

Master-Bilt® warrants to the original purchaser and any subsequent owner that all parts purchased after the first year warranty period will be warranted for 90 days from invoice date.