



MB5 Model Quick Ship Walk-In Price List

Effective January 1, 2017

Contents

Section	Page
Quick Ship Features	2
MB5 Model Nomenclature Guide	3
Single Cooler Packages With Standard-Duty Refrigeration	4
Single Freezer Packages With Standard-Duty Refrigeration	12
Single Cooler Packages With Heavy-Duty Refrigeration	16
Single Freezer Packages With Heavy-Duty Refrigeration	20
Walk-Ins, Panels Only, Floorless	24
Walk-Ins, Panels Only, With Floor	28
Quick Ship Options	32
Terms & Considerations	33
Warranty	34

QUICK SHIP WALK-IN FEATURES



Standard Features:

- FREE FREIGHT to domestic U.S. locations and select locations in Canada (consult your Master-Bilt® sales representative)
- 4" thick panels
- Coolers, freezers and combo units available
- Indoor and outdoor models available
- Single compartment walk-ins range in size from 3'11" x 5'10" up to 9'8" x 32'8" and in heights of 7'2", 7'6", 8'2" and 8'6". They are available with or without a floor. (3'11" x 5'10" size available in 7'2" and 7'6" heights only)
- Combo units range in size from 5'10" x 11'7" to 9'8" x 19'3" and in heights of 7'6" and 8'6"
- Combo units available in with-floor freezer/less-floor cooler and with-floor freezer/with-floor cooler
- 36" x 78" V-series door
- Interior and exterior wall and roof finish is 26 gauge acrylic coated stucco galvanized steel
- .080 textured aluminum interior floor finish, where required
- Must include refrigeration system
- Refrigeration is available in either pre-assembled remote M-Series systems or PRS-2 packaged systems with standard-duty and heavy-duty options (3'11" x 5'10" size only available with PRS-2 packaged systems)
- Outdoor models contain a weather hood for the roof-mounted refrigeration system, membrane covering for the walk-in roof and rain canopy for the entry door
- Most indoor models with PRS-2 systems include a power cord so the unit can be plugged in with no piping or components to field install
- 4-year extended compressor warranty included in price

Options:

- Door & frame kick-plates (shipped loose)
- 4 foot fluorescent light fixtures (shipped loose, less fluorescent bulbs)
- 4-foot LED light fixtures (shipped loose)
- Vinyl strip curtains for entry doors (shipped loose)
- Exterior door ramps

Per DOE requirements, panels are designed and certified for use in walk-in cooler and freezer applications.

Standard V-Series doors are 36" x 78" with the following energy consumption (kWh/day):

- Coolers: 2.77
- Freezers: 7.79

Dedicated medium temp outdoor condensing units meet the DOE requirement of a minimum AWEF rating of 7.61 (Btu/W-h).

Nomenclature

MB5 MODEL NOMENCLATURE GUIDE

MB5

Family	Height	Width	Length	Temperature	Box Configuration	Location	PRS Refrigeration	Door Swing*
MasterBilt 5 Day Quick Ship	72 - Less Floor * 82 - Less Floor * 76 - With Floor 86 - With Floor	06 - 5' 10" 08 - 7' 9" 10 - 9' 8"	06 - 5' 10" 08 - 7' 9" 10 - 9' 8" 12 - 11' 7" 14 - 13' 6" 18 - 17' 4"+ 20 - 19' 3" + +Combo Only	N - No refrigeration (Box Only) C - Cooler 38F - 35F F - Freezer -10F D = Dual Compartment + (Combo Freezer/Cooler) + Must show height as 76 or 86.	Blank - Single Compartment Dual Compartment (Combo) With Floor Freezer/ Less Floor Cooler C - 6' Freezer D - 8' Freezer E - 10' Freezer With Floor Freezer/Cooler F - 6' Freezer G - 8' Freezer H - 10' Freezer	I - Indoor O - Outdoor	Blank - Standard Duty HD - Heavy Duty Note: Self-Contained Ceiling Mounted PRS Unit	R - Right hand L - Left hand

* Not applicable with Freezer

Single Cooler Packages

WALK-IN COOLERS WITH STANDARD PRS-2 SYSTEMS

PLEASE NOTE:

- Interior and exterior finish on all walk-ins is 26 gauge acrylic-coated stucco galvanized steel.
- Extended four year compressor warranty included in walk-in price.
- Coolers were designed for 35°F room temp with 90°F ambient and 100°F temp at condensing unit. Less floor coolers assumed no insulation under floor slab. Freezers were designed for -10°F room temp with 90°F ambient and 100°F temp at condensing unit location.
- PRS-2 refrigeration systems are not designed for use in areas with ambient temperatures exceeding 100°F.
- PRS-2 refrigeration is sized for holding duty only. If the ambient is higher than 100°F or pull down capacity is required, a regular (non-quick ship) quote will be needed.

INDOOR MODELS, FLOORLESS

WALK-IN MODEL NUMBER	DESCRIPTION	LIST PRICE
MB5720406CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHH20050A, .50 HP, 115/60/1	\$ 12,320
MB5720606CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHH20050A, .50 HP, 115/60/1	\$ 12,584
MB5720608CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHH20070B, .75 HP, 208-230/60/1	\$ 13,927
MB5720610CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHH20070B, .75 HP, 208-230/60/1	\$ 14,632
MB5720808CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHH20070B, .75 HP, 208-230/60/1	\$ 14,884
MB5720810CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHH20070B, .75 HP, 208-230/60/1	\$ 15,882
MB5720812CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHH20100B, 1 HP 208-230/60/1	\$ 17,750
MB5720814CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHH20100B, 1 HP 208-230/60/1	\$ 18,748
MB5721010CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHH20100B, 1 HP 208-230/60/1	\$ 17,457
MB5721012CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHH20100B, 1 HP 208-230/60/1	\$ 18,368

Single Cooler Packages

MB5721014CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 19,233
MB5820606CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$ 12,820
MB5820608CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 14,200
MB5820610CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 14,938
MB5820808CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 15,125
MB5820810CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 16,156
MB5820812CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 18,059
MB5820814CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 19,090
MB5821010CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 17,762
MB5821012CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 18,709
MB5821014CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$ 19,606

Single Cooler Packages

INDOOR MODELS, WITH FLOOR

MB5760406CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$	13,361
MB5760606CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$	14,110
MB5760608CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$	15,335
MB5760610CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$	16,903
MB5760808CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$	16,748
MB5760810CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$	18,404
MB5760812CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$	20,489
MB5760814CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$	22,279
MB5761010CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$	20,516
MB5761012CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$	21,734
MB5761014CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$	23,524
MB5860606CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$	14,277

Single Cooler Packages

MB5860608CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050A, .50 HP, 115/60/1	\$	15,611
MB5860610CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$	17,138
MB5860808CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$	16,990
MB5860810CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$	18,680
MB5860812CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$	20,800
MB5860814CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$	22,489
MB5861010CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$	20,820
MB5861012CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$	22,073
MB5861014CIX	(QUICK SHIP) INDOOR Walk-In Cooler, 9'-8" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100B, 1 HP 208-230/60/1	\$	23,762

Single Cooler Packages

OUTDOOR MODELS, FLOORLESS

MB5720406COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050AT, .50 HP, 115/60/1, membrane roof and door canopy included	\$ 13,324
MB5720606COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050AT, .50 HP, 115/60/1, membrane roof and door canopy included	\$ 13,629
MB5720608COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 15,233
MB5720610COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 15,985
MB5720808COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,247
MB5720810COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,358
MB5720812COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 19,114
MB5720814COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 20,118
MB5721010COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 18,732
MB5721012COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 19,783

Single Cooler Packages

MB5721014COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 20,737
MB5820606COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050AT, .50 HP, 115/60/1, membrane roof and door canopy included	\$ 13,865
MB5820608COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 15,506
MB5820610COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,291
MB5820808COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,488
MB5820810COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,632
MB5820812COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 19,423
MB5820814COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 20,460
MB5821010COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 19,037
MB5821012COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 20,124
MB5821014COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 21,110

Single Cooler Packages

OUTDOOR MODELS, WITH FLOOR

MB5760406COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0050AT, .50 HP, 115/60/1, membrane roof and door canopy included	\$	14,365
MB5760606COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$	15,579
MB5760608COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$	16,844
MB5760610COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$	18,256
MB5760808COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$	18,111
MB5760810COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$	19,880
MB5760812COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$	21,853
MB5760814COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$	23,649
MB5761010COX	(QUICK SHIP) OUTDOOR Walk-In Cooler or Freezer, 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$	21,791
MB5761012COX	(QUICK SHIP) OUTDOOR Walk-In Cooler or Freezer, 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$	23,149
MB5761014COX	(QUICK SHIP) OUTDOOR Walk-In Cooler or Freezer, 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$	25,028

Single Cooler Packages

MB5860606COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 15,746
MB5860608COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,120
MB5860610COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,491
MB5860808COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,353
MB5860810COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,156
MB5860812COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 22,164
MB5860814COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 23,859
MB5861010COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 22,095
MB5861012COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 23,488
MB5861014COX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 9'-8" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Ceiling Mount PHHZ0100BT, 1 HP 208-230/60/1, membrane roof and door canopy included	\$ 25,266

Single Freezer Packages

WALK-IN FREEZERS WITH STANDARD PRS-2 SYSTEMS

PLEASE NOTE:

- Interior and exterior finish on all walk-ins is 26 gauge acrylic-coated stucco galvanized steel.
- Extended four year compressor warranty included in walk-in price.
- Coolers were designed for 35°F room temp with 90°F ambient and 100°F temp at condensing unit. Less floor coolers assumed no insulation under floor slab. Freezers were designed for -10°F room temp with 90°F ambient and 100°F temp at condensing unit location.
- PRS-2 refrigeration systems are not designed for use in areas with ambient temperatures exceeding 100°F.
- PRS-2 refrigeration is sized for holding duty only. If the ambient is higher than 100°F or pull down capacity is required, a regular (non-quick ship) quote will be needed.

INDOOR MODELS

WALK-IN MODEL NUMBER	DESCRIPTION	LIST PRICE
MB5760406FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0101B, 1 HP, 208-230/60/1	\$ 13,459
MB5760606FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125B, 1.25 HP, 208-230/60/1	\$ 15,397
MB5760608FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125B, 1.25 HP, 208-230/60/1	\$ 16,657
MB5760610FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 18,861
MB5760808FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 18,716
MB5760810FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 20,329
MB5760812FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 21,192
MB5760814FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 22,931
MB5761010FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 21,224

Single Freezer Packages

MB5761012FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200B, 2 HP, 208-230/60/1	\$ 22,787
MB5761014FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200B, 2 HP, 208-230/60/1	\$ 24,531
MB5860606FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125B, 1.25 HP, 208-230/60/1	\$ 15,564
MB5860608FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125B, 1.25 HP, 208-230/60/1	\$ 16,865
MB5860610FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 19,098
MB5860808FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 18,959
MB5860810FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200B, 2 HP, 208-230/60/1	\$ 20,970
MB5860812FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201B, 2 HP, 208-230/60/1	\$ 22,740
MB5860814FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201B, 2 HP, 208-230/60/1	\$ 24,387
MB5861010FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201B, 2 HP, 208-230/60/1	\$ 22,766
MB5861012FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201B, 2 HP, 208-230/60/1	\$ 23,999
MB5861014FIX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201B, 2 HP, 208-230/60/1	\$ 25,651

Single Freezer Packages

OUTDOOR MODELS

MB5760406FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 15,465
MB5760606FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125BT, 1.25 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,519
MB5760608FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,391
MB5760610FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,703
MB5760808FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,568
MB5760810FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 22,155
MB5760812FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 23,124
MB5760814FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 25,734
MB5761010FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 23,067
MB5761012FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 25,271
MB5761014FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 27,104

Single Freezer Packages

MB586060FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0125BT, 1.25 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,686
MB5860608FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,599
MB5860610FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,940
MB5860808FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,811
MB5860810FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 22,432
MB5860812FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 24,300
MB5860814FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 25,953
MB5861010FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 24,237
MB5861012FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 25,610
MB5861014FOX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 27,351

Single Coolers Heavy Duty

WALK-IN COOLERS WITH HEAVY-DUTY PRS-2 SYSTEMS

PLEASE NOTE:

- Interior and exterior finish on all walk-ins is 26 gauge acrylic-coated stucco galvanized steel.
- Extended four year compressor warranty included in walk-in price.
- Coolers were designed for 35°F room temp with 90°F ambient and 100°F temp at condensing unit. Less floor coolers assumed no insulation under floor slab. Freezers were designed for -10°F room temp with 90°F ambient and 100°F temp at condensing unit location.
- PRS-2 refrigeration systems are not designed for use in areas with ambient temperatures exceeding 100°F.
- PRS-2 refrigeration is sized for holding duty only. If the ambient is higher than 100°F or pull down capacity is required, a regular (non-quick ship) quote will be needed.

INDOOR MODELS, FLOORLESS

WALK-IN MODEL NUMBER	DESCRIPTION	LIST PRICE
MB5720406CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 12,523
MB5720606CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 12,787
MB5720608CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 15,141
MB5720610CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 15,846
MB5720808CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 16,098
MB5720810CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 17,096
MB5820606CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 13,023
MB5820608CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 15,414
MB5820610CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 16,152
MB5820808CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 16,339
MB5820810CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 17,370

Single Coolers Heavy Duty

INDOOR MODELS, WITH FLOOR

MB5760406CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 13,564
MB5760606CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 14,313
MB5760608CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 15,538
MB5760610CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 18,117
MB5760808CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 17,962
MB5760810CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 19,618
MB5860606CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 14,480
MB5860608CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070B, .75 HP, 208-230/60/1	\$ 15,814
MB5860610CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 18,352
MB5860808CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 18,204
MB5860810CIHDX	(QUICK SHIP) INDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100B, 1 HP, 208-230/60/1	\$ 19,894

Single Coolers Heavy Duty

OUTDOOR MODELS, FLOORLESS

MB5720406COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 13,748
MB5720606COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 14,053
MB5720608COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,229
MB5720610COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,981
MB5720808COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,243
MB5720810COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,354
MB5820606COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 14,289
MB5820608COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,502
MB5820610COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,287
MB5820808COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,484
MB5820810COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,628

Single Coolers Heavy Duty

OUTDOOR MODELS, WITH FLOOR

MB5760406COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0070BT, .75 HP, 208-230/60/1, membrane roof and door canopy included	\$ 14,830
MB5760606COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,575
MB5760608COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,840
MB5760610COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,252
MB5760808COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,107
MB5760810COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,876
MB5860606COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 16,742
MB5860608COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 18,116
MB5860610COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,487
MB5860808COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,349
MB5860810COHDX	(QUICK SHIP) OUTDOOR Walk-In Cooler, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty, Ceiling Mount PHHZ0100BT, 1 HP, 208-230/60/1, membrane roof and door canopy included	\$ 21,152

Single Freezers Heavy Duty

WALK-IN FREEZERS WITH HEAVY-DUTY PRS-2 SYSTEMS

PLEASE NOTE:

- Interior and exterior finish on all walk-ins is 26 gauge acrylic-coated stucco galvanized steel.
- Extended four year compressor warranty included in walk-in price.
- Coolers were designed for 35°F room temp with 90°F ambient and 100°F temp at condensing unit. Less floor coolers assumed no insulation under floor slab. Freezers were designed for -10°F room temp with 90°F ambient and 100°F temp at condensing unit location.
- PRS-2 refrigeration systems are not designed for use in areas with ambient temperatures exceeding 100°F.
- PRS-2 refrigeration is sized for holding duty only. If the ambient is higher than 100°F or pull down capacity is required, a regular (non-quick ship) quote will be needed.

INDOOR MODELS

WALK-IN MODEL NUMBER	DESCRIPTION	LIST PRICE
MB5760406FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0125B, 1.25 HP, 208-230/60/1	\$ 14,818
MB5760606FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 16,506
MB5760608FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 17,731
MB5760610FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 19,460
MB5760808FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 19,305
MB5760810FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 20,961
MB5760812FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 21,832
MB5760814FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 23,622
MB5761010FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 21,859

Single Freezers Heavy Duty

MB5761012FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201B, 2 HP, 208-230/60/1	\$ 23,950
MB5761014FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201B, 2 HP, 208-230/60/1	\$ 25,740
MB5860606FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 16,673
MB5860608FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150B, 1.5 HP, 208-230/60/1	\$ 18,007
MB5860610FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 19,695
MB5860808FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200B, 2 HP, 208-230/60/1	\$ 19,547
MB5860810FIHDX	(QUICK SHIP) INDOOR Walk-In Freezer, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201B, 2 HP, 208-230/60/1	\$ 22,110

Single Freezers Heavy Duty

OUTDOOR MODELS

MB5760406FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 3'-11" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0125BT, 1.25 HP, 208-230/60/1, membrane roof and door canopy included	\$ 15,940
MB5760606FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,261
MB5760608FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,387
MB5760610FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,799
MB5760808FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,654
MB5760810FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 23,288
MB5760812FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 24,265
MB5761010FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 24,203
MB5860606FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0150BT, 1.5 HP, 208-230/60/1, membrane roof and door canopy included	\$ 17,428
MB5860608FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 19,663

Single Freezers Heavy Duty

MB5860610FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 21,034
MB5860808FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0200BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 20,896
MB5860810FOHDX	(QUICK SHIP) OUTDOOR Walk-In Freezer, 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door (FREE FREIGHT to domestic U.S. locations and select locations in Canada - consult your Master-Bilt sales representative) PRS-2 Heavy Duty Ceiling Mount, PHXZ0201BT, 2 HP, 208-230/60/1, membrane roof and door canopy included	\$ 23,564

Panels Only Floorless

WALK-IN, PANELS ONLY, FLOORLESS

PLEASE NOTE:

- Interior and exterior finish on all walk-ins is 26 gauge acrylic-coated stucco galvanized steel.
- Free freight does not apply to panels-only models.

INDOOR MODELS

WALK-IN MODEL NUMBER	DESCRIPTION	LIST PRICE
MB5720606NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 7,928
MB5720608NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 9,068
MB5720610NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 9,773
MB5720808NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 10,025
MB5720810NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 11,023
MB5720812NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 11,677
MB5720814NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 12,675
MB5721010NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 11,384
MB5721012NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 12,295
MB5721014NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 13,160

Panels Only Floorless

MB5820606NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 5'-10" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 8,164
MB5820608NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 9,341
MB5820610NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 10,079
MB5820808NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 10,266
MB5820810NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 11,297
MB5820812NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 11,986
MB5820814NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 13,017
MB5821010NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 11,689
MB5821012NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 12,636
MB5821014NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 13,533

Panels Only Floorless

OUTDOOR MODELS		
MB5720606NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 5'-10" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 8,226
MB5720608NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 9,406
MB5720610NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 10,158
MB5720808NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 7'-9" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 10,420
MB5720810NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 11,531
MB5720812NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 12,291
MB5720814NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 13,295
MB5721010NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 9'-8" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 11,909
MB5721012NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 11'-7" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 12,960
MB5721014NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 13'-6" x 7'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 13,914

Panels Only Floorless

MB5820606NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 5'-10" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 8,462
MB5820608NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 9,679
MB5820610NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 10,464
MB5820808NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 7'-9" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 10,661
MB5820810NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 11,805
MB5820812NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 12,600
MB5820814NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 13,637
MB5821010NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 9'-8" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 12,214
MB5821012NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 11'-7" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 13,301
MB5821014NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 13'-6" x 8'-2" high, floorless, 26 gauge acrylic-coated stucco galvanized steel interior and exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 14,287

Panels Only With Floor

WALK-IN, PANELS ONLY, WITH FLOOR

PLEASE NOTE:

- Interior and exterior finish on all walk-ins is 26 gauge acrylic-coated stucco galvanized steel.
- Free freight does not apply to panels-only models.

INDOOR MODELS

WALK-IN MODEL NUMBER	DESCRIPTION	LIST PRICE
MB5760606NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 9,454
MB5760608NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 10,679
MB5760610NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 12,044
MB5760808NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 11,889
MB5760810NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 13,545
MB5760812NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 14,416
MB5760814NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 16,206
MB5761010NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 14,443
MB5761012NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 15,661
MB5761014NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 17,451

Panels Only With Floor

MB5860606NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 9,621
MB5860608NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 10,955
MB5860610NIX	(QUICK SHIP) INDOOR Walk-In , 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 12,279
MB5860808NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 12,131
MB5860810NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 13,821
MB5860812NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 14,727
MB5860814NIX	(QUICK SHIP) INDOOR Walk-In , 7'-9" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 16,416
MB5861010NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 14,747
MB5861012NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 16,000
MB5861014NIX	(QUICK SHIP) INDOOR Walk-In , 9'-8" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY.	\$ 17,689

Panels Only With Floor

OUTDOOR MODELS		
MB5760606NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 5'-10" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 9,752
MB5760608NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 11,017
MB5760610NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 12,429
MB5760808NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 7'-9" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 12,284
MB5760810NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 14,053
MB5760812NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 15,030
MB5760814NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 16,826
MB5761010NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 9'-8" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 14,968
MB5761012NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 11'-7" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 16,326
MB5761014NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 13'-6" x 7'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 18,205

Panels Only With Floor

MB5860606NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 5'-10" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 9,919
MB5860608NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 11,293
MB5860610NOX	(QUICK SHIP) OUTDOOR Walk-In , 5'-10" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 12,664
MB5860808NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 7'-9" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 12,526
MB5860810NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 14,329
MB5860812NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 15,341
MB5860814NOX	(QUICK SHIP) OUTDOOR Walk-In , 7'-9" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 17,036
MB5861010NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 9'-8" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 15,272
MB5861012NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 11'-7" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 16,665
MB5861014NOX	(QUICK SHIP) OUTDOOR Walk-In , 9'-8" x 13'-6" x 8'-6" high, with .080 textured aluminum floor, 26 gauge acrylic-coated stucco galvanized steel interior & exterior, 4" thick pour-type, foamed in place rigid urethane insulation, (1) 36" x 78" infitting entrance door. PANELS ONLY - No Refrigeration. FREIGHT FOB FACTORY, membrane roof and door canopy included	\$ 18,443

Quick Ship Options

QUICK SHIP OPTIONS

Part Number	Description	List Price
700-KP36L	Kickplates For 36" x 78" Door, LH Hinge, Int. & Ext. of Door and Frame	\$ 296.00
700-KP36R	Kickplates For 36" x 78" Door, RH Hinge, Int. & Ext. of Door and Frame	\$ 296.00
23-01747	4 FT. Vaportite Fluorescent Light Fixture (Less Bulbs)	\$ 168.00
23-01882	4 FT. Kason LED Light Fixture	\$ 444.00
56-00064	Easimount strip curtain for 36" x 78" opening	\$ 199.00
700-36400	36" Exterior ramp assembly, 4" high	\$ 887.00

Terms & Considerations

TERMS OF SALE

1. **PRICES.** This list supersedes all other price lists. Master-Bilt® reserves the right to change prices and equipment specifications without notice. All quotations for equipment shall be void if not accepted within 30 days.
2. **DELIVERY.** Shipping or delivery date is approximate. Seller will not be liable for failure to deliver due to strikes, supplier's delays, changes requested by buyer or any causes beyond Master-Bilt®'s control.
3. **SHIPMENTS.** When possible, requested carrier will be used. Master-Bilt®, however, reserves the right to ship via any responsible carrier. Shipping charges are payable by consignee and any claims arising as to such charges shall be resolved between the carrier and consignee. All prices are F.O.B. factory.
4. **DAMAGE.** Claims for damage in transit must be made by the consignee with the carrier. Master-Bilt® assumes no responsibility for damages while in transit.
5. **TAXES.** Federal, state, city sales or use taxes are not included with these prices.
6. **CANCELLATIONS/RETURNED GOODS.**
 - A. **STOCK ITEMS.** All cancelled orders and returned goods will be assessed a minimum of 25% cancellation or restocking charge. Merchandise may not be returned without written authorization from the Seller. Requests for return must be made within 90 days after shipment. Return authorizations issued are valid for 30 days. Products must be returned in their original factory packaging with freight prepaid. They shall not have been used and must be in the same condition as originally shipped by Master-Bilt®.
 - B. **NON-STOCK ITEMS.** Orders for custom or modified units cannot be cancelled or returned.
7. All orders not shipped within 90 days of order date are subject to storage charges and/or price increases.
8. **WARRANTY.** See warranty tabs within this spreadsheet for Master-Bilt® warranty details.
9. Possession of price list does not constitute intent to sell.
10. Storage charges are applicable to any cabinet or walk-in that does not ship within two weeks of completion. Charges are calculated at \$25.00 per week per cabinet or, for walk-ins, \$25.00 per week per skid of panels or crated materials.

SPECIAL CONSIDERATIONS

1. **FREIGHT CLASSIFICATIONS.** Walk-in panels are class 100. Condensing units are class 92.5.
NOTE: Classifications are based on the use of Master-Bilt® specified carriers. Third party classifications and rates may vary.
2. **OFF-SITE WAREHOUSING.** Shipments of cabinets originating from off-site Master-Bilt® warehouses will include a \$35.00 handling fee per piece plus applicable freight/associated fees.
3. **STORAGE CHARGES.** Completed orders placed on shipping hold are subject to a storage charge of \$25.00 per piece per week.
4. **MINIMUM INVOICE AMOUNT.** A minimum invoice of \$50.00 applies to all orders.
5. **CREDIT CARDS ACCEPTED.** Master-Bilt® proudly accepts Visa, MasterCard, Discover and American Express.

Warranty

WARRANTY - WALK-INS WITH PRS-2 REFRIGERATION SYSTEMS



908 Hwy. 15 North • New Albany, MS 38652 • 800-647-1284/662-534-9061 • FAX: 800-232-3966
Warranty Parts & Service: 800-684-8988 • FAX: 662-539-4499

LIMITED 18 MONTH PARTS & LABOR WARRANTY FOR WALK-INS WITH PRS-2 REFRIGERATION SYSTEMS

Master-Bilt® Products (the “Company”) warrants to the original purchaser and any subsequent owner that its refrigeration equipment, at the time of delivery, will be free from defects in material and workmanship. Master-Bilt® will bear the reasonable and customary labor expense to repair or replace any component part (including said part) found to be defective under the terms and conditions as outlined under Master-Bilt®’s standard warranty. The warranty is in force for one (1) year, six (6) months from date of shipment from factory, but not longer than two (2) years from Master-Bilt® invoice date. Any claim for defects occurring between one (1) year, six (6) months and two (2) years from date of Master-Bilt® invoice must furnish proof that installation date did occur within six (6) months of Master-Bilt® invoice date.

The purchaser and any subsequent owner will have the sole responsibility and bear all expenses of removing and returning the defective part or equipment. Master-Bilt® will reimburse said labor expenses to the original purchaser only if after evaluating the original service invoice submitted by the original purchaser and any subsequent owner Master-Bilt® determines that this warranty applies. The labor warranty shall apply only to PRS-2 SERIES equipment installed by authorized or approved Master-Bilt® dealers, distributors, service companies or refrigeration contractors. The labor warranty does not cover the cost (parts or labor) of installation, start-up, normal maintenance, or normal control adjustment.

Your local compressor supplier should exchange the compressor at no charge during first year warranty. Claims under this Warranty must be submitted electronically by the Service Company within 90 days from the date of repair. Claims not filed within this time frame will be subject to denial without prior approval. To submit a claim you must have a Master-Bilt® serial number.

Any defects caused by misapplication, abnormal use or misuse, lack of or improper maintenance, damage by third parties, alterations, acts of God; failure to follow installation, maintenance or safety instructions or any other event beyond the control of the Company will not be covered under this Warranty.

The obligation of Master-Bilt® shall be limited to repairing or replacing (at the option of the Company) any part, which is defective in the reasonable opinion of the Company. The cost of service labor reimbursed will be based on straight-time rate and reasonable time for the repair of the defect.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

In no event shall the Company be liable for loss of use, revenue or profit or for any other indirect, incidental, special or consequential damages including, but not limited to, food spoilage or product loss.

This warranty shall apply only within the continental United States, its territories and possessions, Canada and Mexico.

Warranty

OPTIONAL LIMITED FOUR YEAR COMPRESSOR REPLACEMENT WARRANTY

The Company warrants, if purchased on the original invoice to the original purchaser and any subsequent owner that it will supply a replacement compressor on the equipment if found to be defective (in the reasonable opinion of the Company) in material or workmanship if written notice is given within five years from date of shipment.

Defective conditions caused by abnormal use or misuse, lack of or improper maintenance, damage by third parties, alterations, acts of God, failure to follow installation, maintenance or safety instructions or any other event beyond the control of the Company will not be covered under this Warranty. The Compressor Replacement Warranty does not apply to any part of the equipment other than the compressor. The user will have the responsibility and expense of removing and returning the defective compressor to the Company as well as the cost of reinstalling the replacement compressor. The Company may satisfy its obligations hereunder by supplying a replacement compressor, which, is reasonably similar in design and capacity.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

In no event shall the Company be liable for loss of use, revenue or profit or for any other indirect, incidental, special or consequential damages, but not limited to, losses involving food spoilage or product loss.

This Compressor Replacement Warranty shall apply only within the continental United States, its territories and possessions, Canada and Mexico.

REPLACEMENT PART WARRANTY

Master-Bilt® warrants to the original purchaser and any subsequent owner that all parts purchased after the first year warranty period will be warranted for 90 days from invoice date.